

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Wagga

report date 30 Jan 2012

Yarding Change 1740
-1125

comparison date 23/01/2012

There was a sharp decline in the numbers offered. Quality improved with more killable cattle available. Yearling steers had the biggest reduction in numbers, followed by the grown steers and bullocks. All other categories were well represented. All the usual buyers were active in a dearer market.

Vealers lifted 6c to 13c/kg for both slaughter and restocking lines. Vealers made from 180c to 226c and restockers paid up to 242c/kg for the lightweights. Heavy trade yearling steers gained 11c ranging from 170c to 218c/kg. Medium weight feeder steers lifted 13c and the heavy weights gained 7c/kg. Feeders sold from 174c to 216c/kg. The trade heifers gained 4c to 11c selling from 172c to 205c/kg.

Grown steers and bullocks received stronger competition and the prices were 5c to 9c/kg dearer with the reduced numbers and better quality assisting price rises. The C3 and C4 steers made from 162c to 188c/kg. The better heavier cows lifted 6c to 9c with the 3 and 4 scores ranging from 135c to 154c/kg. The 2 scores to processors made from 120c to 136c and those returning to the paddock made to 154.2c/kg

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Calves														
80+		C	2	2	240.0	- 240.0	240.0	N/Q	462	- 462	462	432	- 432	432
				2	240.0	240.0	240.0		462	462	462	432	432	432
Vealer Steer														
0-200	RS	C	2	5	242.2	- 242.2	242.2	N/Q	-	-	-	455	- 455	455
200-280	RS	B	2	1	230.2	- 230.2	230.2	N/Q	-	-	-	564	- 564	564
	RS	C	2	17	217.2	- 232.0	227.0	13	-	-	-	467	- 595	553
		C	2	1	210.0	- 210.0	210.0	N/Q	396	- 396	396	588	- 588	588
		C	3	5	231.6	- 231.6	231.6	N/Q	429	- 429	429	632	- 632	632
	RS	C	3	12	232.6	- 232.6	232.6	N/Q	-	-	-	633	- 633	633
280-330		C	2	5	220.6	- 220.6	220.6	N/Q	424	- 424	424	655	- 655	655
	FD	C	2	11	206.2	- 221.2	217.1	6	-	-	-	650	- 664	660
	RS	C	2	8	198.6	- 218.2	204.7	10	-	-	-	572	- 682	607
		C	3	1	230.2	- 230.2	230.2	N/Q	426	- 426	426	748	- 748	748
330+	FD	C	2	9	214.2	- 214.2	214.2	18	-	-	-	730	- 730	730
		C	3	7	208.2	- 224.2	212.7	N/Q	386	- 415	394	708	- 852	793
	RS	C	3	5	198.2	- 198.2	198.2	N/Q	-	-	-	676	- 676	676
				87	198.2	242.2	221.0		386	429	413	455	852	635
Vealer Heifer														
0-200		C	2	3	218.0	- 218.0	218.0	N/Q	411	- 411	411	427	- 427	427
200-280		C	2	22	180.0	- 228.2	213.5	9	341	- 439	406	466	- 605	539
	RS	C	2	4	200.6	- 200.6	200.6	N/Q	-	-	-	544	- 544	544
		C	3	3	215.0	- 225.0	221.7	N/Q	406	- 417	413	545	- 559	549
280-330		C	2	29	195.2	- 208.2	203.6	16	375	- 416	392	625	- 672	648
	FD	C	2	7	190.0	- 190.0	190.0	N/Q	-	-	-	553	- 553	553
	RS	C	2	10	192.2	- 195.0	194.7	N/Q	-	-	-	605	- 642	638
		C	3	23	197.2	- 226.2	213.7	N/Q	372	- 427	403	615	- 706	673

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
330+		C	3	9	185.0	- 214.6	195.4	N/Q	349	- 397	365	622	- 751	667
	RS	C	3	8	211.2	- 211.2	211.2	N/Q	-	-	-	703	- 703	703
				118	180.0	228.2	206.5		341	439	397	427	751	619
Yearling Steer														
0-330		C	2	9	177.2	- 177.2	177.2	-14	354	- 354	354	581	- 581	581
	FD	C	2	56	185.0	- 221.6	213.3	16	-	-	-	549	- 703	662
	RS	C	2	17	202.6	- 216.2	212.2	N/Q	-	-	-	574	- 664	634
		C	3	2	205.0	- 214.0	209.5	N/Q	387	- 396	392	646	- 706	676
	RS	D	2	1	140.2	- 140.2	140.2	N/Q	-	-	-	442	- 442	442
		D	3	2	173.2	- 173.2	173.2	N/Q	333	- 333	333	532	- 532	532
330-400	RS	E	1	2	122.0	- 122.0	122.0	N/Q	-	-	-	275	- 275	275
	RS	C	2	35	178.0	- 210.0	204.3	-9	-	-	-	602	- 758	725
	FD	C	2	124	180.0	- 216.6	209.1	13	-	-	-	686	- 820	751
		C	2	18	170.0	- 207.6	179.6	N/Q	333	- 399	349	600	- 749	648
	FD	C	3	1	211.6	- 211.6	211.6	N/Q	-	-	-	705	- 705	705
		C	3	32	178.0	- 213.2	207.7	18	336	- 395	385	685	- 846	795
400+	RS	D	2	2	145.0	- 145.0	145.0	N/Q	-	-	-	532	- 532	532
	FD	C	2	89	174.0	- 205.6	195.3	7	-	-	-	744	- 922	867
		C	2	9	162.0	- 184.0	178.1	-1	318	- 345	339	745	- 994	886
	RS	C	2	9	178.2	- 195.6	192.0	N/Q	-	-	-	757	- 857	844
	FD	C	3	60	185.0	- 205.0	193.4	N/Q	-	-	-	806	- 1026	918
		C	3	92	170.0	- 218.0	193.9	11	321	- 404	362	770	- 997	926
				560	122.0	221.6	199.8		318	404	363	275	1026	798
Yearling Heifer														
0-330	RS	C	2	22	186.2	- 203.0	197.1	7	-	-	-	503	- 622	581
		C	2	10	165.2	- 190.0	179.6	N/Q	330	- 373	355	430	- 517	489
	FD	C	2	38	180.0	- 202.6	191.6	13	-	-	-	486	- 640	586
	RS	D	1	4	120.0	- 135.0	123.8	N/Q	-	-	-	342	- 385	353
	RS	D	2	4	159.6	- 180.0	169.8	N/Q	-	-	-	423	- 427	425
330-400	FD	C	2	18	162.0	- 185.0	174.5	-3	-	-	-	638	- 681	672
		C	2	17	165.2	- 178.2	172.8	N/Q	324	- 350	343	559	- 598	585
	RS	C	2	38	166.0	- 195.2	189.0	8	-	-	-	631	- 753	696
		C	3	25	172.0	- 197.6	186.5	4	325	- 375	354	623	- 712	666
	RS	D	2	1	141.6	- 141.6	141.6	N/Q	-	-	-	503	- 503	503
		D	2	2	161.6	- 161.6	161.6	N/Q	337	- 337	337	606	- 606	606
400+		D	3	11	148.0	- 166.0	162.9	-1	290	- 326	314	511	- 637	620
		B	3	1	207.2	- 207.2	207.2	N/Q	384	- 384	384	870	- 870	870
	RS	C	2	27	181.2	- 192.6	186.6	-3	-	-	-	732	- 778	755
		C	2	16	164.2	- 180.0	173.7	N/Q	322	- 353	341	699	- 741	733
	FD	C	2	17	166.0	- 186.0	182.2	9	-	-	-	772	- 785	780
		C	3	59	172.0	- 205.2	181.9	11	325	- 387	346	704	- 907	800
	FD	C	3	38	179.6	- 187.2	184.1	N/Q	-	-	-	779	- 833	807
	DA	D	1	4	168.2	- 168.2	168.2	N/Q	358	- 358	358	727	- 727	727
DA	D	2	5	170.2	- 170.2	170.2	N/Q	340	- 340	340	812	- 812	812	
	D	2	5	141.2	- 162.0	152.5	N/Q	277	- 338	307	645	- 750	685	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head			
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg	
	RS	D	2	2	157.6	- 157.6	157.6	N/Q	-			725	- 725	725	
		D	3	13	165.0	- 173.0	171.6	35	324	- 333	330	767	- 853	837	
					377	120.0	207.2	181.6		277	387	342	342	907	699
Grown Steer															
0-400	FD	C	2	3	174.2	- 174.2	174.2	N/Q	-			679	- 679	679	
		C	2	1	172.0	- 172.0	172.0	N/Q	337	- 337	337	645	- 645	645	
400-500		C	2	5	162.0	- 186.0	170.5	N/Q	312	- 358	328	664	- 837	770	
	FD	C	2	3	166.2	- 168.2	166.9	N/Q	-			726	- 765	739	
		C	3	9	169.2	- 185.0	173.4	7	319	- 343	325	794	- 879	814	
500-600		C	3	27	162.0	- 188.0	181.0	9	300	- 348	337	875	- 1087	989	
		C	4	13	182.0	- 188.0	186.6	N/Q	337	- 348	346	1025	- 1025	1025	
600-750		C	3	5	172.0	- 174.2	173.3	7	319	- 323	321	1121	- 1132	1128	
		C	4	12	170.0	- 182.0	179.0	5	315	- 337	332	1097	- 1250	1110	
750+		C	3	1	152.0	- 152.0	152.0	N/Q	287	- 287	287	1269	- 1269	1269	
		C	4	2	156.0	- 160.0	158.0	N/Q	289	- 296	293	1318	- 1392	1355	
					81	152.0	188.0	177.9		287	358	333	645	1392	976
Grown Heifer															
0-540		C	2	1	165.0	- 165.0	165.0	N/Q	324	- 324	324	611	- 611	611	
	RS	C	2	6	165.0	- 165.0	165.0	N/Q	-			721	- 721	721	
		C	3	16	166.2	- 172.2	168.4	2	314	- 327	319	728	- 818	791	
		C	4	6	168.6	- 168.6	168.6	6	324	- 324	324	760	- 760	760	
		D	2	3	119.2	- 146.0	137.1	-1	238	- 292	274	471	- 572	538	
		D	3	39	146.0	- 176.0	166.6	28	281	- 339	320	650	- 870	799	
540+		C	4	14	162.0	- 172.0	169.4	8	312	- 319	318	899	- 1028	958	
	DA	D	2	3	134.0	- 134.0	134.0	N/Q	279	- 279	279	761	- 761	761	
		D	3	11	158.0	- 168.0	161.6	N/Q	298	- 336	309	883	- 1033	933	
		D	4	13	146.0	- 165.0	160.4	7	281	- 312	306	825	- 1037	943	
					112	119.2	176.0	164.3		238	339	315	471	1037	832
Cows															
0-400		D	2	3	122.0	- 122.0	122.0	N/Q	260	- 260	260	392	- 392	392	
400-520		D	2	16	120.2	- 136.2	131.6	4	256	- 284	274	511	- 651	614	
	RS	D	2	21	128.0	- 151.2	137.2	12	-			532	- 704	647	
	DA	D	2	1	124.0	- 124.0	124.0	N/Q	264	- 264	264	564	- 564	564	
		D	3	9	132.0	- 141.2	137.3	3	264	- 288	277	583	- 689	642	
		D	4	1	144.0	- 144.0	144.0	N/Q	288	- 288	288	742	- 742	742	
520+		C	3	1	154.2	- 154.2	154.2	N/Q	302	- 302	302	810	- 810	810	
		C	4	1	148.0	- 148.0	148.0	N/Q	285	- 285	285	918	- 918	918	
	DA	D	2	1	134.0	- 134.0	134.0	N/Q	285	- 285	285	817	- 817	817	
	DA	D	3	3	140.2	- 140.2	140.2	N/Q	286	- 286	286	1059	- 1059	1059	
		D	3	51	135.0	- 147.2	141.2	9	270	- 304	285	721	- 897	826	
		D	4	80	136.0	- 150.2	145.9	6	272	- 300	288	734	- 1089	952	
		D	5	10	137.2	- 146.0	143.6	6	269	- 286	282	888	- 1269	1058	
					198	120.2	154.2	141.5		256	304	284	392	1269	840
Bulls															
0-450		C	1	1	147.2	- 147.2	147.2	N/Q	273	- 273	273	456	- 456	456	

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
450-600 600+		C	2	1	144.6	- 144.6	144.6	N/Q	268	- 268	268	484	- 484	484
		C	2	1	141.2	- 141.2	141.2	N/Q	257	- 257	257	791	- 791	791
		B	2	2	175.2	- 179.2	177.2	N/Q	307	- 314	311	1756	- 1840	1798
		C	2	11	154.2	- 169.2	161.3	N/Q	275	- 302	289	1031	- 1419	1208
		C	3	1	167.2	- 167.2	167.2	N/Q	299	- 299	299	1271	- 1271	1271
				17	141.2	179.2	160.5		257	314	288	456	1840	1170

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.