

Detailed saleyard report - cattle

Market information provided by MLA's National Livestock Reporting Service

Shepparton

report date 07 Feb 2012

Yarding Change $\frac{1500}{35}$

comparison date 31/01/2012

Overall numbers were back slightly, however even numbers of export and trade cattle were penned. There were a few pens of well-shaped vealers and supplementary fed yearlings however also plainer crossbred stock was also present. Odd sales of heavy steers sold at stronger rates. Buyers were keener to secure the well-conditioned yearlings vealers. There were not a lot of dairy cows yarded.

The best of the vealers made to 225c to average 216c for the steers and 210c/kg for the heifer portion. The C and B muscled yearling steers made from 182c to 215c/kg for the supplementary fed European cross cattle. The yearling heifers made from 175c to 214.6c to average 194c/kg for the C3 and C4 heifers.

The heavy steers made from 176c to 192c to round out at 184c, while the bullocks made to 180c and averaged 174c/kg.

The beef cows made from 130c to 156c to come out at 147c/kg average. The dairy portion made from 100c to 146c for some large framed Friesians, overall D2 and D3 dairy cows averaged 138c/kg.

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Vealer Steer														
200-280	RS	C	1	4	190.6	- 193.6	192.9	N/Q	-	-	-	467	- 494	487
	RS	C	2	6	201.6	- 215.0	205.3	N/Q	-	-	-	538	- 567	556
		C	2	22	215.0	- 216.0	215.0	23	400	- 407	407	475	- 559	555
280-330		B	2	2	213.2	- 213.2	213.2	N/Q	388	- 388	388	618	- 618	618
		C	2	1	200.0	- 200.0	200.0	N/Q	377	- 377	377	620	- 620	620
		C	3	10	212.0	- 217.6	212.6	14	396	- 407	397	615	- 653	619
330+		B	2	13	200.0	- 225.0	219.9	4	364	- 402	394	700	- 814	773
		B	3	3	225.0	- 225.0	225.0	N/Q	375	- 375	375	866	- 866	866
		C	2	4	190.0	- 205.0	196.3	1	359	- 380	369	703	- 728	711
		C	3	9	210.2	- 220.0	215.2	9	389	- 407	399	734	- 792	761
				74	190.0	225.0	212.7		359	407	397	467	866	647
Vealer Heifer														
200-280		C	3	7	212.0	- 217.6	213.6	N/Q	394	- 407	398	583	- 609	591
	RS	D	2	3	180.0	- 180.0	180.0	-2	-	-	-	477	- 477	477
280-330		C	3	4	197.0	- 206.0	201.5	N/Q	366	- 383	375	601	- 628	615
		D	2	2	175.0	- 175.0	175.0	N/Q	333	- 333	333	499	- 499	499
		D	3	2	180.0	- 180.0	180.0	N/Q	343	- 343	343	513	- 513	513
		D	4	9	194.0	- 194.0	194.0	N/Q	366	- 366	366	580	- 640	634
330+		C	3	27	203.6	- 220.0	210.8	15	377	- 400	388	697	- 759	732
		C	4	1	217.6	- 217.6	217.6	N/Q	411	- 411	411	751	- 751	751
				55	175.0	220.0	203.8		333	411	381	477	759	659
Yearling Steer														
0-330	RS	C	1	7	190.0	- 190.0	190.0	N/Q	-	-	-	599	- 599	599
330-400	RS	C	1	4	185.0	- 185.0	185.0	N/Q	-	-	-	648	- 648	648
	RS	C	2	8	182.0	- 197.0	187.6	N/Q	-	-	-	655	- 749	690
		C	2	1	172.0	- 172.0	172.0	N/Q	325	- 325	325	688	- 688	688

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
400+	FD	C	2	6	185.0	- 185.0	185.0	N/Q	-			718	- 718	718
		C	3	13	192.0	- 205.0	198.5	N/Q	356	- 380	369	730	- 780	768
	B	2	13	202.0	- 212.0	202.8	-4	367	- 379	368	880	- 970	963	
		3	13	194.0	- 215.0	205.3	N/Q	346	- 384	367	931	- 1048	1021	
		C	3	24	182.0	- 194.0	186.2	-5	343	- 359	348	810	- 931	847
	FD	C	3	4	190.0	- 190.0	190.0	N/Q	-			789	- 789	789
		C	4	30	192.6	- 205.0	200.2	N/Q	357	- 376	369	838	- 1066	1003
D	2	6	162.0	- 162.0	162.0	N/Q	307	- 307	307	672	- 672	672		
				129	162.0	215.0	193.4		307	384	359	599	1066	858
Yearling Heifer														
0-330	RS	C	2	2	203.0	- 203.0	203.0	N/Q	-			619	- 619	619
		D	2	14	156.0	- 156.0	156.0	N/Q	300	- 300	300	507	- 507	507
330-400	RS	D	2	4	166.0	- 166.0	166.0	N/Q	-			506	- 506	506
		D	3	1	194.0	- 194.0	194.0	N/Q	366	- 366	366	580	- 580	580
	C	2	6	190.0	- 190.0	190.0	N/Q	362	- 362	362	656	- 656	656	
		3	16	190.6	- 209.0	206.7	N/Q	356	- 387	383	724	- 836	822	
		C	4	2	190.0	- 190.0	190.0	N/Q	352	- 352	352	758	- 758	758
400+	D	3	8	162.0	- 194.6	182.4	N/Q	309	- 364	343	629	- 776	721	
		D	4	18	170.0	- 194.0	182.0	N/Q	321	- 363	342	670	- 737	692
	C	3	21	173.0	- 214.6	193.0	-6	326	- 390	357	709	- 923	841	
		C	4	2	172.0	- 193.0	182.5	N/Q	325	- 354	339	791	- 886	839
		D	3	8	174.0	- 174.0	174.0	1	330	- 330	330	722	- 722	722
	D	4	5	182.6	- 182.6	182.6	N/Q	345	- 345	345	794	- 794	794	
					107	156.0	214.6	184.4		300	390	347	506	923
Grown Steer														
400-500	FD	C	2	3	172.0	- 172.0	172.0	N/Q	325	- 325	325	826	- 826	826
		C	3	20	176.6	- 182.0	179.0	N/Q	-			881	- 892	886
500-600	C	2	1	178.0	- 178.0	178.0	N/Q	336	- 336	336	917	- 917	917	
		C	3	31	175.0	- 183.2	177.8	-3	324	- 342	334	898	- 1015	946
	C	4	66	168.0	- 192.0	183.1	N/Q	316	- 356	339	958	- 1114	1038	
	C	5	1	178.0	- 178.0	178.0	N/Q	330	- 330	330	1024	- 1024	1024	
600-750	D	3	18	164.0	- 164.0	164.0	N/Q	309	- 309	309	951	- 951	951	
		C	4	36	167.0	- 180.6	174.2	1	309	- 328	323	1049	- 1148	1089
	D	3	6	160.0	- 160.0	160.0	N/Q	303	- 303	303	968	- 968	968	
				182	160.0	192.0	177.1		303	356	330	826	1148	1001
Grown Heifer														
0-540	C	3	11	152.0	- 152.0	152.0	N/Q	287	- 287	287	775	- 775	775	
		C	4	11	154.0	- 168.0	160.4	N/Q	291	- 317	303	832	- 865	847
540+	RS	D	2	6	180.0	- 180.0	180.0	N/Q	-			864	- 864	864
		D	4	14	148.0	- 170.0	161.9	-6	279	- 321	305	666	- 876	790
540+	DA	D	2	18	139.6	- 158.6	140.7	N/Q	291	- 305	292	810	- 864	813
		DA	D	3	1	152.0	- 152.0	152.0	N/Q	292	- 292	292	927	- 927
	D	3	24	155.0	- 155.0	155.0	N/Q	295	- 295	295	884	- 884	884	
		D	4	1	176.0	- 176.0	176.0	N/Q	332	- 332	332	1003	- 1003	1003
				86	139.6	180.0	155.4		279	332	296	666	1003	835

Category Weight	Sale Prefix	Muscle Score	Fat Score	Head	Live Weight c/kg				Estimated Carcase Weight c/kg			Estimated \$/Head		
					Low	High	Avg	Change	Low	High	Avg	Low	High	Avg
Manufacturing Steer														
0-540	DA	D	2	9	152.0	- 155.6	154.4	N/Q	298	- 299	299	747	- 798	764
540+		D	3	7	150.0	- 150.0	150.0	N/Q	284	- 284	284	818	- 818	818
				16	150.0	155.6	152.5		284	299	292	747	818	787
Cows														
0-400		D	2	8	125.0	- 125.0	125.0	N/Q	266	- 266	266	475	- 475	475
	DA	E	1	18	93.0	- 102.0	97.0	N/Q	245	- 268	255	372	- 398	383
400-520	RS	D	1	23	120.6	- 126.2	124.3	-4				543	- 567	551
	DA	D	1	71	115.0	- 130.2	123.8	14	267	- 298	285	518	- 639	580
		D	1	26	120.0	- 120.0	120.0	8	255	- 255	255	582	- 582	582
		D	2	8	128.0	- 128.0	128.0	-2	272	- 272	272	659	- 659	659
		D	3	12	138.6	- 154.0	146.3	11	289	- 291	290	707	- 755	731
		D	4	15	128.0	- 146.0	136.4	N/Q	272	- 286	279	659	- 715	685
	DA	E	1	4	110.0	- 110.0	110.0	2	262	- 262	262	495	- 495	495
520+		C	4	22	141.6	- 155.6	150.8	N/Q	267	- 296	287	765	- 879	858
	DA	D	1	36	100.0	- 133.6	122.5	-4	233	- 304	284	575	- 858	723
	DA	D	2	27	135.2	- 142.0	138.4	9	289	- 309	302	830	- 884	856
		D	2	10	126.0	- 149.0	128.3	-8	274	- 310	278	693	- 834	707
	DA	D	3	18	140.0	- 146.0	141.7	4	273	- 305	296	847	- 952	933
		D	3	17	136.0	- 146.0	142.8	-1	262	- 304	292	734	- 847	801
		D	4	57	130.0	- 156.0	146.9	2	271	- 297	282	715	- 959	844
		D	5	4	146.0	- 146.0	146.0	13	278	- 278	278	803	- 803	803
		D	6	1	118.6	- 118.6	118.6	N/Q	224	- 224	224	735	- 735	735
				377	93.0	156.0	131.5		224	310	281	372	959	699
Bulls														
0-450		C	1	15	162.0	- 195.0	179.8	N/Q	300	- 361	334	518	- 833	694
		C	2	3	161.6	- 161.6	161.6	N/Q	308	- 308	308	630	- 630	630
				18	161.6	195.0	176.8		300	361	329	518	833	683

Abbreviations

CATTLE FD: Feeder RS: Restocker GF: Grainfed DA: Dairy PC: Pastoral Cattle SHEEP & LAMB RS: Restocker MR: Merino RM: Restocker Merino 1X: 1st Cross FD: Feeder

Disclaimer:

© MLA 2012. No part of this publication may be reproduced in any form or by any means without prior written permission of MLA. MLA makes no representations and to the extent permitted by law excludes all warranties in relation to the information contained in this publication. MLA is not liable to you or to any third party for any losses, costs or expenses, including any direct, indirect, incidental, consequential, special or exemplary damages or lost profit, resulting from any use or misuse of the information contained in this publication. Information contained in this publication has been obtained from a variety of third party sources which have not been verified by MLA.